| | Application No. | Applicant(s) |
|--|---|--|
| Aladiaa af Allawahilida | 09/891,481 | NARULA ET AL. |
| Notice of Allowability | Examiner | Art Unit |
| | Camtu T. Nguyen | 3743 |
| The MAILING DATE of this communication appeal claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313 | (OR REMAINS) CLOSED in this app or other appropriate communication IGHTS. This application is subject to | olication. If not included will be mailed in due course. THIS |
| 1. 🛛 This communication is responsive to applicant's amendme | nt filed on january 24, 2005. | |
| 2. The allowed claim(s) is/are <u>4-13</u> . | | |
| 3. A The drawings filed on 26 June 2001 are accepted by the E | xaminer. | |
| 4. Acknowledgment is made of a claim for foreign priority unally all b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. A SUBSTITUTE OATH OR DECLARATION must be submining the part of the priority documents have a comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. | been received. been received in Application No cuments have been received in this of this communication to file a reply IENT of this application. itted. Note the attached EXAMINER | national stage application from the complying with the requirements |
| INFORMAL PATENT APPLICATION (PTO-152) which give 6. CORRECTED DRAWINGS (as "replacement sheets") mus | | tion is deficient. |
| (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached | | |
| 1) hereto or 2) to Paper No./Mail Date | | |
| (b) ☐ including changes required by the attached Examiner's Paper No./Mail Date | s Amendment / Comment or in the C | Office action of |
| Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t | | |
| 7. DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT | | |
| Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) | 5. ☐ Notice of Informal P 6. ☐ Interview Summary Paper No./Mail Dat | |
| 3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material | 7. ☐ Examiner's Amendr 8. ☑ Examiner's Stateme 9. ☐ Other Supervi | |
| | | , — · · · |

DETAILED ACTION

Response to Amendment

This Office Action is in response to applicant's amendment filed on January 24, 2005.

Claims 14-30 were previously cancelled. Claims 1-3 have been cancelled. Claims 4, 7, 8, and 12 have been amended. The claims, have amended, have been carefully considered and deemed allowable.

Allowable Subject Matter

Claims 4-13 are allowed.

The following is an examiner's statement of reasons for allowance: the art of record when considered alone or in combination neither renders obvious a wound covering pressure relieving pad comprising elements comprising elements as recited in independent claims 4 and 8.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Application/Control Number: 09/891,481

Art Unit: 3743

U.S. Patent No. 1,736,515 (Anderson) discloses a cord pad (5) built up of a number of

layers of a ringlike formation but the pad device does not have a platform fixedly attached to the

base of the pad.

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Camtu T. Nguyen whose telephone number is 703-305-0537.

The examiner can normally be reached on (M-F) 8:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Henry A. Bennett can be reached on 703-308-0101. The fax phone number for the

organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Camtu Nguyen February 18, 2005

Henry Bennett

Palent Exam

Page 3